

# NEW SHERPASCOPIC PODIUM SAFETY STEPS



- ▶ New improved models with full HSE approval.
- ▶ Telescopic platform with 3 heights for each model.
- ▶ Fitted with full safety guardrails, roller wheels and stabilisers.
- ▶ Ideal for SAFE SITE work with full acceptance of HSE and guaranteed 5 years.
- ▶ Telescopic ( height adjustable ) work platforms totally suitable for industrial use.
- ▶ European made and approved to French Standard PIR NFP 93 352.
- ▶ FULLY ACCEPTED for use in UK by H.S.E. (Health & Safety Executive) with 150kg max safe load ( tested to 350kg !! ).
- ▶ Folding/adjustable stabilisers - can be extended both sides or closed on one side to allow working close to walls etc. Taller model has two pairs of folding stabilisers for maximum safety - on front as well as rear ladder section.
- ▶ Solid large platform 0.60 x 0.42m with tool tray and toeplates fitted.

[www.ladders999.co.uk](http://www.ladders999.co.uk)

tel: 01452 520144



# NEW SHERPASCOPIC PODIUM SAFETY STEPS



NEW Sherpascopic height-adjustable work platforms with improved features and benefits.

Folds for ease of handling and transportation.

Wheels at one end ensure easy manoeuvrability - can be rolled around when open or when closed .

3 models

2 or 3 heights with each

4 sided guardrail

1 large platform

2 adjustable stabilisers

2 roller wheels

=

1 happy safety inspector!



Convenient tool tray is useful for holding small hand tools and fixings



[www.ladders999.co.uk](http://www.ladders999.co.uk)

tel: 01452 520144



# NEW SHERPASCOPIC PODIUM SAFETY STEPS



New guardrail system includes an automatically closing gate, providing the user with 360° protection from falls.



New stabiliser legs feature a telescopic mechanism that allows them to be used on uneven surfaces; when opened the stabilisers face centrally towards the midline thus optimising its stability during use.

NEW Sherpascope height-adjustable work platforms with improved features and benefits.

New telescopic system - height adjustment for the new Sherpascope is based on a gravity latch located at the level of the users hands - easy to reach and intuitive to use.



## " NEW SHERPASCOPIC" ALLOY TELESCOPIC WORK PLATFORMS

code	No. Treads	Platform Heights	Appx Working Heights	Base Length Open min - max	Base Width Open min - max (max = stabilisers fully extended)	Closed Dimensions H x W x D	Weight
ZSHESN34	3 to 4	0.78m+1.01m	2.28 - 3.01m	1.38 - 1.56m	1.30 - 1.60m	2.03 x 0.81 x 0.40m	23kg
ZSHESN46	4 to 6	1.07m+1.30m+1.53m	2.57 - 3.53m	1.60 - 1.97m	1.35 - 1.90m	2.44 x 0.81 x 0.40m	26kg
ZSHESN79	7 to 9	1.77m+2.01m+2.25m	3.27 - 4.25m	2.15 - 2.51m	2.05 - 2.70m	3.20 x 0.81 x 0.40m	31kg

Normally delivered most UK mainland in 2 - 3 days ( optional Next-Day delivery sometimes possible at extra charge )

A current, detailed  
**price list**  
can be printed from our web site  
[www.ladders999.co.uk](http://www.ladders999.co.uk)



UNITS 2 & 10 CHANCEL CLOSE TRADING ESTATE  
EASTERN AVENUE **GLOUCESTER** GL4 3SN  
FAX : 01452 505580  
**TEL: 01452 520144**