

NEW "SUPER-SPEEDY 80" LIGHT DUTY ALLOY TOWERS



- » New SUPER-SPEEDY 80 light duty alloy towers are great value for money.
- » New specification includes additional components to ensure compliance with UK Health & Safety requirement for 3T assembly method.
- » Approved to Euro Standard EN1004 - the latest European safety standard for towers with a maximum safe working load of 150kg / 23.5 stones, making them suitable for light trade use as well as domestic use.
- » Made from lightweight aluminium, they are easy to erect, easy to transport and easy to store.
- » A superior appearance is guaranteed - aluminium cannot rust or deteriorate with age!
- » Small base size only 1.60 x 0.70m (5' 3" x 2' 4") enables this tower to fit on stairs and in narrow areas.
- » Tower rungs are serrated and non-slip for safety.
- » Castor pack included for easy mobility.
- » Folding base unit for speedy erection.

**new spec includes
additional
components
(shown red)
for compliance with
UK Health & Safety
3T assembly method**



NEW "SUPER-SPEEDY 80" LIGHT DUTY ALLOY TOWERS



Tower code : **ZSP3T20**

Appx Working Height - max **3.80m / 12' 6"**

Platform Height - max **1.80m / 6' 0"**

Safe Working Load max **150kg / 23.5stones**

Plan Dimensions - **1.75m x 0.83m / 5'8" x 2' 9"**

Approved to Euro Standard **EN1004** - the latest tower standard (update of the old HD1004)

New improved specification ensures compliance with UK health & safety 3T assembly method

Components included as shown in image - adjustable height legs **not** available

Folding base unit for speedy erection. Castors for easy mobility

See our excellent website at
www.ladders999.co.uk


for prices of these and our huge range
of ladders, steps, podium steps
and scaffold towers



UNITS 2 & 10 CHANCEL CLOSE TRADING ESTATE
EASTERN AVENUE **GLOUCESTER** GL4 3SN
FAX : 01452 505580
TEL: 01452 520144

www.ladders999.co.uk sales@lansfordaccess.co.uk

NEW "SUPER-SPEEDY 80" LIGHT DUTY ALLOY TOWERS



Tower code : **ZSP3T35**

Appx Working Height - max **5.50m / 18' 0"**

Platform Height - max **3.50m / 11' 6"**

Safe Working Load max **150kg / 23.5stones**

Plan Dimensions - **1.75m x 0.83m / 5'8" x 2' 9"**
excluding stabiliser footprint

Approved to Euro Standard **EN1004** - the latest tower standard (update of the old HD1004)

New improved specification ensures compliance with UK health & safety 3T assembly method

Components included as shown in image - adjustable height legs **not** available

Folding base unit for speedy erection. Castors for easy mobility

See our excellent website at
www.ladders999.co.uk

for prices of these and our huge range
of ladders, steps, podium steps
and scaffold towers




UNITS 2 & 10 CHANCEL CLOSE TRADING ESTATE
EASTERN AVENUE **GLOUCESTER** GL4 3SN
FAX : 01452 505580

TEL: 01452 520144

www.ladders999.co.uk sales@lansfordaccess.co.uk

NEW "SUPER-SPEEDY 80" LIGHT DUTY ALLOY TOWERS



Tower code : **ZSP3T50**

Appx Working Height - max **7.15m / 23' 6"**

Platform Height - max **5.15m / 17' 0"**

Safe Working Load max **150kg / 23.5stones**

Plan Dimensions - **1.75m x 0.83m / 5'8" x 2' 9"**
excluding stabiliser footprint

Approved to Euro Standard **EN1004** - the latest tower standard (update of the old HD1004)

New improved specification ensures compliance with UK health & safety 3T assembly method

Components included as shown in image - adjustable height legs **not** available

Folding base unit for speedy erection. Castors for easy mobility

See our excellent website at
www.ladders999.co.uk

for prices of these and our huge range
of ladders, steps, podium steps
and scaffold towers



UNITS 2 & 10 CHANCEL CLOSE TRADING ESTATE
EASTERN AVENUE **GLOUCESTER** GL4 3SN
FAX : 01452 505580
TEL: 01452 520144

www.ladders999.co.uk sales@lansfordaccess.co.uk