# **CombiSite Embankment Stairways**



Fast & secure temporary embankment stairs.



Galvanised steel construction with variable pitch treads for rapid installation on embankments at a wide variety of slope angles.

### Combisite Embankment Stairways



- ▶ Fast & secure temporary embankment stairs.
- Galvanised steel construction with variable pitch treads for rapid installation on embankments at a wide variety of slope angles.
- Self adjusts to keep horizontal treads at all slope angles between 25° - 50°.
- ▶ 6 stair sizes can be easily joined to create any length of run.
- Folds flat for transport and storage.
- Optional handrails for one side or both sides automatically adjust to stair angle.
- Overall width 750mm which allows occasional passing if required.
- Must be staked securely at top and bottom.
- ➤ Treads have a coarse expanded metal surface for grip, which also clears muddy footwear in use.

- Note that stairs are heavy duty galvanised steel with expanded steel grating treads.
- ► Sizes 12 tread and over normally require lifting equipment.
- ► Fully complies with EN12811 as Temporary Work Equipment.
- ▶ Please ring or email for advice and quotations.
- Normally in central stock for delivery in 3 - 7 days UK mainland.





## Combisite Embankment Stairways



See our excellent website at

### www.ladders999.co.uk

for our huge range of ladders, steps, podium steps and scaffold towers



UNITS 2 & 10 CHANCEL CLOSE TRADING ESTATE

EASTERN AVENUE **GLOUCESTER** GL4 3SN

FAX: 01452 505580

TEL: 01452 520144

www.ladders999.co.uk sales@lansfordaccess.co.uk

## **CombiSite Embankment Stairways**

The Stairways are quickly and easily installed on-site, straight off the back of the transport, and are ready for use in minutes.

Set up between 25° and 50°, users can carry small tools, equipment and materials in safety and comfort on level treads 210mm deep.

Fully comply with EN 12811, as Temporary Work Equipment.

When supported only at top and base, a Universal Support is required for lengths 12 tread and upwards.

CombiSite Embankment Stairways			
code	Size	Closed Length	Appx Weight
Stairways (excluding handrails)			
CSTS03	3 tread Stairway; Galvanised	1.03m	17kg
CSTS06	6 tread Stairway; Galvanised	1.84m	31kg
CSTS09	9 tread Stairway ; Galvanised	2.65m	47kg
CSTS12	12 tread Stairway; Galvanised	3.46m	57kg
CSTS15	15 tread Stairway; Galvanised	4.27m	82kg
CSTS18	18 tread Stairway; Galvanised	5.08m	104kg
Handrails (each / per side)			
CSTH03	3 tread Handrail; Galvanised; Each	-	5kg
CSTH06	6 tread Handrail; Galvanised; Each	-	8kg
CSTH09	9 tread Handrail; Galvanised; Each	-	10kg
CSTH12	12 tread Handrail; Galvanised; Each	-	14kg
CSTH15	15 tread Handrail; Galvanised; Each	-	16kg
CSTH18	18 tread Handrail; Galvanised; Each	-	20kg
Optional Item	is .		
CSTXSA1	Slab Attachment ; Each	-	0.8kg
CSTXSA2	Slab Attachment ; Pair	-	1.6kg
CSTXSC1	Scaffold Attachment ; Each	-	0.6kg
CSTXSC2	Scaffold Attachment ; Pair	-	1.2kg
CSTXSL1	Stair Lock Assembly	-	2.0kg
CSTXUS1	Universal Support	-	18.0kg
CSTXBE1	Lattice Beam End		60.0kg
CSTXBM1	Lattice Beam Mid		42.0kg
Delivered to site most of UK mainland at extra cost			



N.B. Two operatives can easily install Stairways up to 9 treads.

Sizes 12 tread and over normally require lifting equipment.



See our excellent website at

#### www.ladders999.co.uk

for our huge range of ladders, steps, podium steps and scaffold towers

\$ LANSFORD ACCESS LTD

UNITS 2 & 10 CHANCEL CLOSE TRADING ESTATE

EASTERN AVENUE GLOUCESTER GL4 3SN

FAX: 01452 505580

TEL: 01452 520144

www.ladders999.co.uk sales@lansfordaccess.co.uk

All prices, details and specifications are subject to change without notice and are those ruling at date of order. E&OE.