

# Fork Lift Cages - HSE guidance compliant

Health & Safety compliant cages for safe and fast access to awkward areas at high level.

Robust fully welded construction.

All models comply with Health & Safety Executive guidance note PM28 - 3rd Edition 2005 and all supplied with a user guide.



FAX : 01452 505580 TEL: 01452 520144

[www.ladders999.co.uk](http://www.ladders999.co.uk)

[sales@lansfordaccess.co.uk](mailto:sales@lansfordaccess.co.uk)



National Sales Office - Units 2 & 10 Chancel Close, Eastern Avenue, GLOUCESTER GL4 3SN

# Fork Lift Cages - HSE guidance compliant

## RL ECONOMY RANGE - Side opening gate Full height mesh rear guard.

Health & Safety compliant cages for safe and fast access to awkward areas at high level.

- Robust fully welded construction.
- All models comply with Health & Safety Executive guidance note PM28 - 3rd Edition 2005 and all supplied with a user guide.
- Fit quickly & easily to the majority of fork lifts.
- UK manufactured with max load capacity 2 people or 350kg.
- Safety gate opens inwards, closing automatically through the use of a tension spring loaded retention latch.
- Non-slip floor plate with a high kick plate.
- High visibility yellow epoxy coated finish.

**IMPORTANT** - on all orders please state:

- Length of fork
- Width & Depth (cross section) of fork
- Maximum standard distance between forks



**RHASP1**



Optional Tool Tray



Optional Wheel Set



<< Raised gate lock and slam bolt

>> Fork heel lock and screw jack



Fork Lift Cages RL Economy Model					
CODE	Platform Size W x D mm	Load Capacity kg	Overall Height	Wheels Included	Appx Weight
<b>RL Economy Model</b>					
<b>RHASP1</b>	1.0m x 1.0m	350kg	1.93m	None (optional extra)	78kg
<b>RHASP2</b>	Optional Tool Tray for above LxWxD 1000x200x200mm - hooks onto front rail				10kg
<b>RHASP4</b>	Optional Wheel Set for above - 2 x swivel & 2 x fixed wheels, 100mm diam, nylon wheels				2kg
Normally made-to-order and delivered in 10—21 days ; FREE delivery most of mainland UK					

FAX : 01452 505580 TEL: 01452 520144

[www.ladders999.co.uk](http://www.ladders999.co.uk)

[sales@lansfordaccess.co.uk](mailto:sales@lansfordaccess.co.uk)



National Sales Office - Units 2 & 10 Chancel Close, Eastern Avenue, GLOUCESTER GL4 3SN

# Fork Lift Cages - HSE guidance compliant

## GC ECONOMY RANGE - Front opening gate Full height mesh rear guard.

Health & Safety compliant cages for safe and fast access to awkward areas at high level.

- Robust fully welded construction.
- All models comply with Health & Safety Executive guidance note PM28 - 3rd Edition 2005 and all supplied with a user guide.
- Fit quickly & easily to the majority of fork lifts.
- UK manufactured with max load capacity 2 people or 250kg.
- Front safety gate opens inwards, closing automatically through the use of a tension spring loaded retention latch.
- Non-slip floor plate with a high kick plate.
- Safety harness anchor point.
- High visibility yellow epoxy finish & 3 year guarantee.

**UK made  
with a  
3 Year  
guarantee**



**FLC08Z**



**FORK POCKET**

Simply lift the bar on the side of the cage once the forks have been inserted. The brace at the rear will swing and fit neatly behind the heel of the forks, securing the cage to the forks.

Fork Lift Cages		GC Economy Model			
CODE	Platform Size W x D mm	Load Capacity kg	Overall Height	Wheels Included	Appx Weight
<b>GC Economy Model</b>					
<b>FLC08Z</b>	1.0m x 1.0m	250kg	1.90m	None	70kg
Normally made-to-order and delivered in 10—21 days ; FREE delivery most of mainland UK					

FAX : 01452 505580 TEL: 01452 520144

[www.ladders999.co.uk](http://www.ladders999.co.uk)

[sales@lansfordaccess.co.uk](mailto:sales@lansfordaccess.co.uk)



National Sales Office - Units 2 & 10 Chancel Close, Eastern Avenue, GLOUCESTER GL4 3SN

# Fork Lift Cages - HSE guidance compliant

## GC HEAVY DUTY MODELS -


Side opening gate

Full frame head protector

Large integral tool tray

Health & Safety compliant cages for safe and fast access to awkward areas at high level.

- Robust fully welded construction.
- All models comply with Health & Safety Executive guidance note PM28 - 3rd Edition 2005 and all supplied with a user guide.
- Fit quickly & easily to the majority of fork lifts.
- UK manufactured with max load capacity 2 people or 300kg.
- Front safety gate opens inwards, closing automatically through the use of a tension spring loaded retention latch.
- Non-slip floor plate with a high kick plate.
- Safety harness anchor point.
- High visibility yellow epoxy finish & 3 year guarantee.



### FORK POCKET

184W x 83D with inside clearance of 545mm & overall clearance 921mm.

Note: Fork pocket specs can be altered to meet your requirements. Please specify when ordering.

**UK made with a 3 Year guarantee**

Fork Lift Cages GC HEAVY DUTY Models - with full overhead protection frame & integral tool tray					
CODE	Platform Size W x D mm	Load Capacity kg	Overall Height	Wheels Included	Appx Weight
<b>GC HEAVY DUTY Models</b>					
<b>FLC04Z</b>	1.26m x 0.80m	300kg	2.10m	None	132kg
<b>FLC14Y</b>	1.26m x 0.80m	300kg	2.23m	4 x swivel, 125mm nylon	135kg
Normally made-to-order and delivered in 3—5 weeks ; FREE delivery most of mainland UK					

FAX : 01452 505580 TEL: 01452 520144

[www.ladders999.co.uk](http://www.ladders999.co.uk)

[sales@lansfordaccess.co.uk](mailto:sales@lansfordaccess.co.uk)



National Sales Office - Units 2 & 10 Chancel Close, Eastern Avenue, GLOUCESTER GL4 3SN