

LSD HEDGEMASTER RANGE



Easy to move



Folds flat



Easy to open



The perfect platform for work, indoors and out

- ◆ As easy to use as a step ladder, but much safer
- ◆ Secure guard rail that leaves both hands free
- ◆ Aluminium construction – will not rust or corrode
- ◆ Lightweight, stable and very strong
- ◆ Platform heights up to 11' 6"
- ◆ Supplied fully assembled and folds flat for storage
- ◆ Works on slopes and will straddle flower beds, ditches and dwarf walls
- ◆ Articulated foot spreads load and stops legs sinking into soft ground

*"Brilliant! Thank you. Just wish I'd bought it years ago. Feels really safe."
S. Parker, Lancs Sept 2017*

**LANSFORD
ACCESS LTD**
www.ladders999.co.uk

THE HEDGEMASTER range of work platforms covers a standing height of 2'6" to 11'6" and has been designed to work effectively and safely in the garden and around the home. They are built to a very high standard using aluminium, which makes them extremely strong, lightweight and corrosion free.

They have guardrails at each side and the front guardrail is adjustable. It can be fixed in one of two positions to suit the user, thus improving safety. A sprung button locks the guardrail into the required position. The platform itself is very stable and is made of "Rhino-board" which is extremely durable and has a non-slip surface.

Each of the three models has four legs which are individually adjustable over a range of 24" in increments of 1/8", which allows it to cope easily with uneven ground. Each leg has a 5 1/2" diameter articulated foot which spreads the load and prevents it from sinking into the ground.

The rungs are grooved to provide a non-slip surface and the position of the bottom, 'floating' rung, is adjustable to take into account the required height of the platform.

Each HedgeMaster is supplied fully assembled and folds flat for storage.


There are three models available and for each model we offer a height extender, which can be fitted without tools.



HedgeMaster on uneven ground



Articulated Foot



Non slip rung

Floating rung

Height adjusting pin


Adjustable leg

Floating rung lock pin

Articulated foot



HedgeMaster Guard Rail



THE COMPACT

The COMPACT has a working platform height of 2' 6" to 4' 6".

The COMPACT Height Extender provides an increase in height of 2' giving a working platform height range of 4' 6" to 6' 6" and a shoulder height of approximately 11' 6".



THE CLASSIC

The CLASSIC has a working platform height of 4' 6" to 6' 6".

The CLASSIC Height Extender provides an increase in height of 3' giving a working platform height range of 7' 6" to 9' 6" and a shoulder height of approximately 14' 6".



THE PROFESSIONAL

The PROFESSIONAL has a working platform height of 6' 6" to 8' 6".

The PROFESSIONAL Height Extender provides an increase in height of 3' giving a working platform height range of 9' 6" to 11' 6" and a shoulder height of 16' 6".



HEDGEMASTER DIMENSIONS

SAFE WORKING LOAD 150kg/330lbs

WORKING DIMENSIONS

MODEL	PLATFORM HEIGHT		SHOULDER HEIGHT	
	LOWEST	HIGHEST	LOWEST	HIGHEST
COMPACT	2'6"	4'6"	7'6"	9'6"
COMPACT + 2' Extender	2'6"	6'6"	7'6"	11'6"
CLASSIC	4'6"	6'6"	9'6"	11'6"
CLASSIC + 3' Extender	4'6"	9'6"	9'6"	14'6"
PROFESSIONAL	6'6"	8'6"	11'6"	13'6"
PROFESSIONAL + 3' Ext	6'6"	11'6"	11'6"	16'6"

STORED SIZE OF EACH MODEL

	HEIGHT	MAX WIDTH	DEPTH
COMPACT	6'	3'	7"
CLASSIC	8'	3'6"	8"
PROFESSIONAL	10'	4'	9"

PLATFORM WIDTH: 20" PLATFORM DEPTH: 24"

HEIGHT OF HANDRAIL ABOVE PLATFORM: 34" to 40"

	ALONE	EXTENDER
COMPACT	15 Kg (33 lbs)	5 Kg (11 lbs)
CLASSIC	17 Kg (38 lbs)	6 Kg (13 lbs)
PROFESSIONAL	21 Kg (46 lbs)	7 Kg (15 lbs)

FOOTPRINT DIMENSIONS (IN INCHES)

MODEL	SETTING	REAR WIDTH	DEPTH
COMPACT	LOWEST	34	36
	HIGHEST	39	45
COMPACT + 2' Extn	LOWEST	39	45
	HIGHEST	44	53
CLASSIC	LOWEST	41	49
	HIGHEST	46	58
CLASSIC + 3' Extn	LOWEST	49	63
	HIGHEST	54	72
PROFESSIONAL	LOWEST	46	58
	HIGHEST	51	67
PROFESS + 3' Extn	LOWEST	63	72
	HIGHEST	78	81



LANSFORD
ACCESS LTD
www.ladders999.co.uk



The HedgeMaster provides the safest means of trimming hedges but it can also be used for any work around the home, office, factory, village hall, school and orchard.

COMPLIANCE

The HedgeMaster range is manufactured to comply with the requirements of the General Product Safety Regulations of 1994.

It is ideal for clearing gutters, painting windows, soffits and fascias and any general maintenance work.

Manufacturers and distributors of access equipment complying with the relevant British Standard or HSE requirements

“Can I extend the height of my HedgeMaster?”

Yes – many of our customers do (and it can be done whenever it suits you). The Extender unit is sold separately and can be purchased at any time.



In stock for FREE NEXT-DAY DELIVERY most of mainland UK

A current, detailed
price list
can be printed from our web site
www.ladders999.co.uk



UNITS 2 & 10 CHANCEL CLOSE TRADING ESTATE
EASTERN AVENUE **GLOUCESTER** GL4 3SN
FAX : 01452 505580
TEL: 01452 520144

www.ladders999.co.uk sales@lansfordaccess.co.uk

All prices, details and specifications are subject to change without notice and are those ruling at date of order. E&OE.

Hedgemaster2018.pub lam201807 or201003