

# Heavy Duty Steel Mobile Safety Steps



**Safe Working Load  
500kg  
( 78 stones! )**

**600mm deep**

**700mm wide**

**KHDS10**

**Extra-Large  
Platform  
& stronger tube &  
box steel**

- ▶ Massive 500kg SWL (78 stones!!) & Extra-Large platform 600x700mm for greater strength, durability, safety & comfort when carrying bulky & heavy goods or when two people need to work together.
- ▶ High quality Heavy Duty Safety Steps manufactured in the UK from stronger 25mm diameter tubular & box-section steel, with punched steel treads.
- ▶ **HEAVY DUTY models give added strength & durability in the most demanding locations, plus space for two people on the platform.**
- ▶ Safe working load is a MASSIVE 500kg ( 78stones! ) and manufacture is conducted in an ISO9001 registered facility. Fully welded and assembled for instant use.
- ▶ Coated in a very tough and attractive deep Red polyester-powder finish for long-lasting protection. Optional Blue, Yellow, Green, Grey colours on request.
- ▶ Punched steel treads are 200mm / 8" deep and fitted at 250mm rise with handrails both sides. Stair & tread width 700mm / 28".
- ▶ **Extra-Large platform L x W 600 x 700mm / 24" x 28"** is surrounded by a 1.0m / 3ft high handrail on three sides plus half-height midrail. Toeplates fitted around 3 sides of platform on all models.
- ▶ Heavy duty rubber tyred wheels with steel centre fitted at the rear with swivelling castors at the front for easy manoeuvring.
- ▶ Braked by the Anti-Ascent Safety Bar which blocks access to treads whilst mobile but retracts to allow safe access and brake the steps. Side Lever instead of the central safety bar is optional on request.
- ▶ Many variations to the standard range are available, including PVC covered treads, single-sided handrails; alternative tread width; hinged gates at platform; side operating lever etc. Please enquire for details.
- ▶ Need a SPECIAL? Modifications on request - ring 01452 520144 to discuss with our helpful staff.
- ▶ Please check Overall Dimensions below before ordering to be sure it will fit. DO NOT order too high or wide!

01452 520144

[www.ladders999.co.uk](http://www.ladders999.co.uk)



# Heavy Duty Steel Mobile Safety Steps



**KHDS08**

KHDS08 - 8 tread model with standard RED polyester-powder coating

## Optional modifications available -

please ring 01452 520144 to discuss your needs with our helpful staff ...

Optional extras

- » Non-slip PVC covered treads
- » Single-Sided handrail
- » Other tread widths
- » Extended platform lengths
- » Cantilever platform extensions
- » Hinged gates at platform
- » Hinged bars at platform
- » Removable chains at platform
- » Hinged gate at base for security
- » Double Bogey castor system for easier turning
- » Shallower 48 degree tread pitch for even safer descent
- » Static steps without wheels
- » Side lever brake ; rear shelf ; side stabilisers ; etc etc
- » Alternative colour polyester-powder finishes - deep Red as standard or deep Blue on request. Other RAL colours at extra cost.
- » Please check **Overall Dimensions** below before ordering to be sure it will fit. DO NOT order too high or wide!

please ring 01452 520144 to discuss with our helpful staff

## HEAVY DUTY STEEL MOBILE SAFETY STEPS - SWL 500kg & Extra-Large Platform

CODE	No. Treads including platform	Platform Height mm / ft	Tread Width mm / ft	Platform Size D x W mm / ft	Overall Dimensions H x L x W (m)	Appx Weight
<b>Central Anti-Ascent Safety Bar for braking</b>						
<b>KHDS05</b>	5	1.25m / 4' 1"	700 / 2' 3"	600 x 700 / 24" x 27"	2.25 x 1.47 x 1.00	90kg
<b>KHDS06</b>	6	1.50m / 4' 11"	700 / 2' 3"	600 x 700 / 24" x 27"	2.50 x 1.56 x 1.00	98kg
<b>KHDS07</b>	7	1.75m / 5' 9"	700 / 2' 3"	600 x 700 / 24" x 27"	2.75 x 1.65 x 1.00	112kg
<b>KHDS08</b>	8	2.00m / 6' 7"	700 / 2' 3"	600 x 700 / 24" x 27"	3.00 x 1.78 x 1.00	118kg
<b>KHDS09</b>	9	2.25m / 7' 5"	700 / 2' 3"	600 x 700 / 24" x 27"	3.25 x 1.93 x 1.00	127kg
<b>KHDS10</b>	10	2.50m / 8' 3"	700 / 2' 3"	600 x 700 / 24" x 27"	3.50 x 2.11 x 1.15	144kg
<b>KHDS11</b>	11	2.75m / 9' 0"	700 / 2' 3"	600 x 700 / 24" x 27"	3.75 x 2.27 x 1.15	150kg
<b>KHDS12</b>	12	3.00m / 9' 10"	700 / 2' 3"	600 x 700 / 24" x 27"	4.00 x 2.43 x 1.15	163kg
<b>KHDS13</b>	13	3.25m / 10' 8"	700 / 2' 3"	600 x 700 / 24" x 27"	4.25 x 2.67 x 1.38	174kg
<b>KHDS14</b>	14	3.50m / 11' 6"	700 / 2' 3"	600 x 700 / 24" x 27"	4.50 x 2.83 x 1.38	180kg
<b>KHDS15</b>	15	3.75m / 12' 4"	700 / 2' 3"	600 x 700 / 24" x 27"	4.75 x 3.00 x 1.47	190kg

### Tread Options - instead of standard Punched Steel -

For PVC Covered Non-Slip treads change code to "KHDPxx" - please enquire for details and prices  
 For **Narrow Aisle** version of Industrial Steps (3 - 8 tread sizes) - please enquire

01452 520144

www.ladders999.co.uk



# Wide Tread Industrial Steel Mobile Safety Steps



KEWS08 - 8 tread model with yellow Anti-Ascent Safety Bar for braking and preventing access when mobile

- ▶ High quality Industrial Safety Steps manufactured in the UK from tubular steel with punched steel treads.
- ▶ **WIDE TREAD models have treads 700mm wide to give added safety & comfort when carrying bulky items up and down in warehouses and storage areas.**
- ▶ Safe working load is a huge 300kg ( 47 stones! ) and manufacture is in an ISO9001 registered facility. Fully welded and assembled for instant use.
- ▶ Coated in a very tough and attractive deep Red polyester-powder finish for long-lasting protection. Standard colour deep Red or can be deep Blue on request. Other colours at extra cost.
- ▶ New Polyester-powder coating is vastly superior to epoxy finishes. It is tougher and more durable plus UV stabilisers make it much more suitable for exterior use than most epoxy coats.
- ▶ Punched steel treads are 200mm / 8" deep and fitted at 250mm rise with handrail both sides.
- ▶ Large platform 400 x 700mm / 16" x 27" is surrounded by a 1.0m / 3ft high handrail on three sides plus half-height midrail. Toeplates fitted around platform on models with platform height over 2.0m.
- ▶ Rubber tyred wheels fitted at the rear with swivelling castors at the front for easy manoeuvring.
- ▶ Braked by the Anti-Ascent Safety Bar which blocks access to treads whilst mobile but retracts to allow safe ascent and brake the steps. Side Lever on 3tread.
- ▶ Many variations to the standard range are available including PVC covered treads; single-sided handrails; alternative tread width; hinged gates at platform; side operating lever etc. Please enquire for details.
- ▶ Need a SPECIAL? Modifications on request - ring 01452 520144 to discuss with our helpful staff.
- ▶ Please check **Overall Dimensions** overleaf before ordering to be sure it will fit. Do not order too high!
- ▶ Normally made-to-order and delivered in 7 - 14 days. FREE DELIVERY mainland England & Wales only - Scotland extra.



Optional Hinged Gate fitted at platform for exit to rear.



Wide Tread model with optional security Hinged Gate at base and Side Lever for braking.

01452 520144  
www.ladders999.co.uk



# Wide Tread Industrial Steel Mobile Safety Steps



KEWS04 - 4 tread model with optional deep Blue polyester-powder coating

## Optional modifications available -

please ring 01452 520144 to discuss your needs with our helpful staff ...

Optional extras

- » Non-slip PVC covered treads
- » Single-Sided handrail
- » Other tread widths
- » Extended platform lengths
- » Cantilever platform extensions
- » Hinged gates at platform
- » Hinged bars at platform
- » Removable chains at platform
- » Hinged gate at base for security
- » Double Bogey castor system for easier turning
- » Shallower 48 degree tread pitch for even safer descent
- » Static steps without wheels
- » Side lever brake ; rear shelf ; side stabilisers ; etc etc
- » Alternative colour polyester-powder finishes - deep Red as standard or deep Blue on request. Other RAL colours at extra cost.
- » Please check **Overall Dimensions** below before ordering to be sure it will fit. DO NOT order too high or wide!

please ring 01452 520144 to discuss with our helpful staff

## WIDE TREAD INDUSTRIAL STEEL MOBILE SAFETY STEPS

CODE	No. Treads including platform	Platform Height mm / ft	Tread Width mm / ft	Platform Size D x W mm / ft	Overall Dimensions H x L x W (m)	Appx Weight
<b>Anti-Ascent Safety Bar for braking on 4-15tr models (Side Lever instead on 3 tread model)</b>						
KEWS03	3	0.75m / 2' 6"	700 / 2' 3"	400 x 700 / 16" x 27"	1.75 x 0.82 x 1.00	42kg
KEWS04	4	1.00m / 3' 3"	700 / 2' 3"	400 x 700 / 16" x 27"	2.00 x 1.04 x 1.00	48kg
KEWS05	5	1.25m / 4' 1"	700 / 2' 3"	400 x 700 / 16" x 27"	2.25 x 1.27 x 1.00	55kg
KEWS06	6	1.50m / 4' 11"	700 / 2' 3"	400 x 700 / 16" x 27"	2.50 x 1.36 x 1.00	62kg
KEWS07	7	1.75m / 5' 9"	700 / 2' 3"	400 x 700 / 16" x 27"	2.75 x 1.45 x 1.00	70kg
KEWS08	8	2.00m / 6' 7"	700 / 2' 3"	400 x 700 / 16" x 27"	3.00 x 1.58 x 1.00	78kg
KEWS09	9	2.25m / 7' 5"	700 / 2' 3"	400 x 700 / 16" x 27"	3.25 x 1.73 x 1.00	90kg
KEWS10	10	2.50m / 8' 3"	700 / 2' 3"	400 x 700 / 16" x 27"	3.50 x 1.91 x 1.12	98kg
KEWS11	11	2.75m / 9' 0"	700 / 2' 3"	400 x 700 / 16" x 27"	3.75 x 2.07 x 1.12	105kg
KEWS12	12	3.00m / 9' 10"	700 / 2' 3"	400 x 700 / 16" x 27"	4.00 x 2.23 x 1.12	116kg
KEWS13	13	3.25m / 10' 8"	700 / 2' 3"	400 x 700 / 16" x 27"	4.25 x 2.47 x 1.38	125kg
KEWS14	14	3.50m / 11' 6"	700 / 2' 3"	400 x 700 / 16" x 27"	4.50 x 2.63 x 1.38	130kg
KEWS15	15	3.75m / 12' 4"	700 / 2' 3"	400 x 700 / 16" x 27"	4.75 x 2.80 x 1.47	138kg

### Tread Options - instead of standard Punched Steel -

For PVC Covered Non-Slip treads change code to "KEWPxx" - please enquire for details and prices  
For Narrow Aisle version of Industrial Steps (3 - 8 tread sizes) - please enquire

01452 520144

www.ladders999.co.uk



# Industrial Steel Mobile Safety Steps



**KMSS07** - 7 tread model with Yellow Anti-Ascent Safety Bar for braking and preventing access when mobile



**KMSS03** - 3 tread model with Side Braking Lever and optional deep Red polyester powder coating

- ▶ High quality Industrial Safety Steps manufactured in the UK from tubular steel, with punched steel treads.
- ▶ Ideal for safe access in warehouse storage areas, maintenance in the workshop and even the office.
- ▶ Safe working load is a huge 300kg ( 47 stones! ) and manufactured in an ISO9001 registered facility. Fully welded and assembled for instant use.
- ▶ Coated in a very tough and attractive deep Blue polyester-powder finish for long-lasting protection. Standard colour deep Blue or can be deep Red on request. Other colours at extra cost.
- ▶ New Polyester-powder coating is vastly superior to epoxy finishes. It is tougher and more durable plus UV stabilisers make it much more suitable for exterior use than most epoxy coats.
- ▶ Punched steel treads are 200mm / 8" deep and fitted at 250mm rise with handrails both sides.
- ▶ Large platform 400 x 550mm / 16" x 22" is surrounded by a 1.0m / 3ft high handrail on three sides plus half-height midrail. Toeplates fitted around platform on models with platform height over 2.0m.
- ▶ Rubber tyred wheels fitted at the rear with swivelling castors at the front for easy manoeuvring.
- ▶ Braked by the Anti-Ascent Safety Bar which blocks access to treads whilst mobile but retracts to allow safe ascent and brake the steps. Side Lever instead on small 3tr models. Spring-loaded castors on smallest 2tr model.
- ▶ Many variations to the standard range are available including PVC covered treads; single-sided handrails; alternative tread width; hinged gates at platform; side operating lever etc. Please enquire for details.
- ▶ Fully welded and assembled for instant use. Also available in "Knock-Down" form for ease of transport and for access into awkward areas on site. Assembly of optional "Knock-Down" steps requires spanners and takes around 15 minutes.
- ▶ Need a SPECIAL? Modifications on request - ring 01452 520144 to discuss with our helpful staff.
- ▶ Please check **Overall Dimensions** overleaf before ordering to be sure it will fit.
- ▶ Normally made-to-order and delivered in 7 - 14 days. FREE DELIVERY mainland England & Wales only - Scotland extra.

01452 520144

[www.ladders999.co.uk](http://www.ladders999.co.uk)



# Industrial Steel Mobile Safety Steps



Optional non-slip PVC covered treads and optional deep Red polyester powder coated finish

## Optional modifications available -

please ring 01452 520144 to discuss your needs with our helpful staff ...

- » Non-slip PVC covered treads
- » Single-Sided handrail
- » Other tread widths
- » Extended platform lengths
- » Cantilever platform extensions
- » Hinged gates at platform
- » Hinged bars at platform
- » Removable chains at platform
- » Hinged gate at base
- » Double Bogey castor system for easier turning
- » Shallower 48 degree tread pitch for safer descent
- » Static steps without wheels
- » Side lever brake ; rear shelf ; side stabilisers ; etc etc
- » Alternative colour polyester-powder finishes - deep Blue as standard or deep Red on request. Other RAL colours extra cost.
- » Please check **Overall Dimensions** below before ordering to be sure it will fit. DO NOT order too high or too wide.

please ring 01452 520144 to discuss with our helpful staff

### INDUSTRIAL DUTY STEEL MOBILE SAFETY STEPS

CODE	No. Treads including platform	Platform Height mm / ft	Tread Width mm / ft	Platform Size D x W mm / ft	Overall Dimensions H x L x W (m)	Appx Weight
<b>Anti-Ascent Safety Bar for braking on 4—15tr models ( 2tr - Spring-Loaded Castors ; 3tr - Side Lever )</b>						
KMSS02	2	0.50m / 1' 8"	550 / 1' 10"	400 x 550 / 16" x 22"	1.50 x 0.60 x 0.70	22kg
KMSS03	3	0.75m / 2' 6"	550 / 1' 10"	400 x 550 / 16" x 22"	1.75 x 0.82 x 0.85	31kg
KMSS04	4	1.00m / 3' 3"	550 / 1' 10"	400 x 550 / 16" x 22"	2.00 x 0.91 x 0.85	43kg
KMSS05	5	1.25m / 4' 1"	550 / 1' 10"	400 x 550 / 16" x 22"	2.25 x 1.27 x 0.85	55kg
KMSS06	6	1.50m / 4' 11"	550 / 1' 10"	400 x 550 / 16" x 22"	2.50 x 1.36 x 0.85	62kg
KMSS07	7	1.75m / 5' 9"	550 / 1' 10"	400 x 550 / 16" x 22"	2.75 x 1.45 x 0.85	70kg
KMSS08	8	2.00m / 6' 7"	550 / 1' 10"	400 x 550 / 16" x 22"	3.00 x 1.58 x 0.85	78kg
KMSS09	9	2.25m / 7' 5"	550 / 1' 10"	400 x 550 / 16" x 22"	3.25 x 1.73 x 0.85	90kg
KMSS10	10	2.50m / 8' 3"	550 / 1' 10"	400 x 550 / 16" x 22"	3.50 x 1.91 x 1.00	98kg
KMSS11	11	2.75m / 9' 0"	550 / 1' 10"	400 x 550 / 16" x 22"	3.75 x 2.07 x 1.00	105kg
KMSS12	12	3.00m / 9' 10"	550 / 1' 10"	400 x 550 / 16" x 22"	4.00 x 2.23 x 1.00	116kg
KMSS13	13	3.25m / 10' 8"	550 / 1' 10"	400 x 550 / 16" x 22"	4.25 x 2.47 x 1.23	125kg
KMSS14	14	3.50m / 11' 6"	550 / 1' 10"	400 x 550 / 16" x 22"	4.50 x 2.63 x 1.23	130kg
KMSS15	15	3.75m / 12' 4"	550 / 1' 10"	400 x 550 / 16" x 22"	4.75 x 2.80 x 1.32	138kg

#### Tread Options - instead of standard Punched Steel -

For PVC Covered Non-Slip treads change code to "KMSPxx" - please enquire  
For Narrow Aisle version of Industrial Steps (3 - 8 tread sizes) - please enquire

01452 520144


www.ladders999.co.uk



# Popular Options for Steel Mobile Safety Steps



Standard Punched Steel treads



Optional PVC Anti-Slip treads



Rear Exit with Bar (or Gate or Chain)



Platform Front Entry Gate (or Chain or Bar) or Platform Rear Exit Gate



Side Exit with Chain (or Bar or Gate)



Base Entry Gate



Platform Length Extensions



Skid Feet



Fixed Plate Feet



Spring-Loaded Castors



Extra Large Wheels 250mm diam



Removable Handrails



Telescopic Stabilisers



Truck-Dock Unloading Steps with safer, shallower tread pitch at 48 degrees



Knock-Down Mobile Safety Steps ... easier to move into tight & awkward areas

01452 520144  
www.ladders999.co.uk



# More Industrial Mobile Safety Steps etc

**CLASSIC** Mobile Safety Steps



**NARROW AISLE** Mobile Safety Steps



**LIGHTWEIGHT** Mobile Safety Steps



**EASY RISE** Mobile Safety Steps



**KNOCK-DOWN** Mobile Safety Steps



**Fort QUICK-FOLD** Mobile Safety Steps



**TILT & PULL** Steel Steps



**ALLOY** Warehouse Steps



**SuperPro** Folding Safety Platform Steps



**TRUCK DOCK** Mobile Safety Steps



**Value Loading** Steps



**LORRYLOADA** Steel Safety Stairs



Full details & prices of all these on our wonderful website

01452 520144

www.ladders999.co.uk





# Bespoke Steel Mobile Safety Steps



The **versatility** of these steel Mobile Safety Stairs is endless.

**Bespoke** variations of the standard models are always possible.

We'll be delighted to quote for your exact requirements.

Larger platform?  
Removable handrails?  
Fixed location not mobile?  
Multiple platform levels?  
Change of colour?  
Hinged gates instead of fixed handrails?

Most things are possible so ring 01452 520144 or email with your enquiry today.



Cantilever platform?  
Wider treads?  
Shallower angle?  
Open sides?  
Knock-down kit?  
Stabilisers fitted?  
Skid feet for mezzanine floors?

We like to say "Yes!"

fax : 01452 505580

[www.ladders999.co.uk](http://www.ladders999.co.uk)

tel : 01452 520144

[sales@lansfordaccess.co.uk](mailto:sales@lansfordaccess.co.uk)



National Sales Office - Units 2 & 10, Chancel Close Trading Estate, Eastern Avenue, GLOUCESTER GL4 3SN