Roll-Along Steel Mobile 2 Steps



- ▶ <u>Superior</u> mobile Roll-Along steps with springloaded castors under protective domes.
- ▶ Roll smoothly with a push of the foot when unloaded but braked once weight is applied.
- ▶ Max safe load 125kg (19.7stones).

- ▶ Safe & strong steel construction with non-slip ribbed rubber treads.
- ▶ Choice of 3 designs & 5 colours.
- ▶ The perfect Office Steps.

ROII-Along mobile 2 Steps — ribbed rubber treads							
code	Description	Platform Height	Platform Size WxD				
Choice of 5 colours							
RRA02	2 Step - No Handle	508mm / 23"	380 x 180mm	0.61 x 0.53 x 0.54m	8.0kg		
RRA12	2 Step - One Handle	508mm / 23"	380 x 180mm	0.61 x 0.53 x 0.54m	10.0kg		
RRA22	2 Step - Two Handles	508mm / 23"	380 x 180mm	0.61 x 0.53 x 0.54m	12.0kg		
Normally in stock for immediate despatch							

See our excellent website at

www.ladders999.co.uk

for prices of these and our huge range of ladders, steps, podium steps and scaffold towers

All prices, details and specifications are subject to change without notice and are those ruling at date of order. E&OE



UNITS 2 & 10 CHANCEL CLOSE TRADING ESTATE EASTERN AVENUE **GLOUCESTER** GL4 3SN

FAX: 01452 505580 **TEL: 01452 520144**



- ▶ <u>Superior</u> mobile Kicksteps which are tested & approved to the recognised European GS Safety Standard.
- ▶ Safe & strong steel construction with non-slip rubber on both platforms.
- ► Max safe load 150kg (23.5stones) stronger than normal Kicksteps.
- ▶ Mounted on 3 retractable swivel castors.
- ▶ Roll smoothly with a push of the foot when unloaded but will not roll, slide or tip over once weight is applied.
- ▶ Simple push-fit assembly of the two sections.
- ▶ Choice of RED or GREY colour.

Superior Steel KickSteps - GS Safety Approved models								
code	Description	Height Loaded	Height Top Unloaded Diameter		Base Diameter	Appx Weight		
Choice of colour -								
GA009ZG	Steel GS KickStep - GREY	430mm / 17"	435mm / 18"	290mm / 12"	435mm / 18"	5.5kg		
GA009ZR	Steel GS KickStep - RED	430mm / 17"	435mm / 18"	290mm / 12"	435mm / 18"	5.5kg		
Normally in stock for immediate despatch								

See our excellent website at

www.ladders999.co.uk

for prices of these and our huge range of ladders, steps, podium steps and scaffold towers

All prices, details and specifications are subject to change without notice and are those ruling at date of order. E&OE



UNITS 2 & 10 CHANCEL CLOSE TRADING ESTATE EASTERN AVENUE **GLOUCESTER** GL4 3SN

FAX: 01452 505580 **TEL: 01452 520144**

CIGSSIC Steel Mobile Safety Steps

Hugely popular and ideal steps for the office, the shop, the storeroom, the warehouse etc

LOW COST and FAST DELIVERY add to the attraction of this excellent range of mobile steps



FAX: 01452 505580 TEL: 01452 520144



CIGSSIC Steel Mobile Safety Steps



LOW COST & ideal for the office, the shop, the storeroom, the warehouse, the library etc. Glides easily until body weight is applied when becomes safely braked & stable.

Spring-loaded castors are enclosed by strong steel dome feet.

- The CLASSIC design of mobile safety steps manufactured in the UK from tubular steel with LOW COST and FAST DELIVERY.
- Ideal for the office, the shop, the storeroom, the warehouse, the library etc.
- Glide smoothly and effortlessly across floors but when body weight is applied they stay firmly in position. Spring-loaded castors are enclosed by strong steel dome feet which grip the floor when in use.
- Steel domes over castors are easily replaceable if damaged.
- Coated in a tough and attractive epoxy-powder finish for long-lasting protection.
- Large safety treads are non-slip Ribbed Rubber or PVC Anti-slip, 380mm wide x 150mm deep (15" x 6") and fitted at 250mm rise.
- Larger top platform 380mm x 280mm enclosed by FULL GUARDRAIL on ALL SIZES.
- Fully welded with max safe working load 150kg.
- When ordering please state <u>choice of colour</u> from our 8 great options.
- Normally delivered in just 3 5 days with FREE DELIVERY most UK mainland - North Scotland & offshore extra.

Classic Steel Mobile Safety Steps							
CODE	No. Treads including platform	Platform Height	Tread Size W x D	Top Platform Size WxD	Overall Dimensions H x L x W (m)	Appx Weight	
Classic steps — Ribbed Rubber Treads							
RCCR2	2	0.51m / 1' 8"	380 x 150mm / 15" x 6"	380 x 280 mm / 15" x 11"	1.19 x 0.54 x 0.58 m	12kg	
RCCR3	3	0.76m / 2' 6"	380 x 150mm / 15" x 6"	380 x 280 mm / 15" x 11"	1.43 x 0.80 x 0.58 m	14kg	
RCCR4	4	1.02m / 3' 4"	380 x 150mm / 15" x 6"	380 x 280 mm / 15" x 11"	1.68 x 0.96 x 0.58 m	17kg	
RCCR5	5	1.27m / 4' 2"	380 x 150mm / 15" x 6"	380 x 280 mm / 15" x 11"	1.94 x 1.12 x 0.58 m	20kg	
Classic steps — PVC Anti-Slip Treads							
RCCA2	2	0.51m / 1' 8"	380 x 150mm / 15" x 6"	380 x 280 mm / 15" x 11"	1.19 x 0.54 x 0.58 m	12kg	
RCCA3	3	0.76m / 2' 6"	380 x 150mm / 15" x 6"	380 x 280 mm / 15" x 11"	1.43 x 0.80 x 0.58 m	14kg	
RCCA4	4	1.02m / 3' 4"	380 x 150mm / 15" x 6"	380 x 280 mm / 15" x 11"	1.68 x 0.96 x 0.58 m	17kg	
RCCA5	5	1.27m / 4' 2"	380 x 150mm / 15" x 6"	380 x 280 mm / 15" x 11"	1.94 x 1.12 x 0.58 m	20kg	
Colour choices -							
8 great colours to choose from - Red, Light Blue, Green, Yellow, Orange, White, Grey, Sandstone							
Optional Extras -							
RCXS015	Hook-On Wire Basket						
RCXS250	Hook-On Steel Shelf						
Full details and prices are on our website www.ladders999.co.uk							


FAX: 01452 505580 TEL: 01452 520144



CICISSIC Steel Mobile Safety Steps

Choices & Options....







Optional Accessory

RCXSO15 Hook-On Wire Basket

max load 3kg ; LxWxD 350 x 220 x 220mm white powder coated finish



Optional Accessory

RCXS250 Hook-On Steel Shelf

max load 3kg; LxWxD 415 x 260 x 40mm white powder coated finish

Note: steps should not be moved with heavily loaded basket or shelf in place

Choice of 8 great colours... note: colours are indicative only & will vary according to your monitor and printer

Red Light Blue Green Yellow Orange White Grey Sandstone

FAX: 01452 505580 TEL: 01452 520144

www.ladders999.co.uk sales@lansfordaccess.co.uk



National Sales Office - Units 2 & 10 Chancel Close, Eastern Avenue, GLOUCESTER GL4 3SN