

100s of uses - painting, window cleaning, curtain hanging, plastering, hedge trimming etc Essential for every tradesman's van and everyone's cupboard under the stairs!

Our great choice of 6 different Hop-Ups ensures we have just the one for YOU!

" HOP-UP "	" HOP-UP " ALLOY FOLDING WORK PLATFORMS								
Code		Platform Height	Appx Working Heights	Platform Size L x W	Folded Dimensions L x W x D	Max Safe Working Load	Weight		
ODJ1	OddJob	510mm / 1' 8"	2.0 - 2.5m	700 x 300mm	710 x 395 x 175mm	150kg	4.0kg		
ODJ61	OddJob 600 wide	510mm / 1' 8"	2.0 - 2.5m	600 x 600mm	730 x 600 x 185mm	175kg	5.7kg		
PHOPG66	HopUp GRP insulated 600	480mm / 1' 7"	2.0 - 2.5m	600 x 600mm	730 x 600 x 185mm	175kg	6.0kg		
RHOP3	Maxi - extra length platform	600mm / 2' 0"	2.1 - 2.6m	1200 x 300mm	1275 x 410 x 170mm	150kg	6.6kg		
VHOPST1	HOPSTAR STANDARD - CL1 without Front Handrail	510mm / 1' 8"	2.0 - 2.5m	600 x 600mm	1130 x 710 x 220mm	175kg	9kg		
VHOPST2	HOPSTAR SUPER CL1 - with Folding Front Handrail	510mm / 1' 8"	2.0 - 2.5m	600 x 600mm	1130 x 710 x 220mm	175kg	10kg		
	all sizes normally in stock for immediate despatch								

1



HOPSTAR Class 1 Hop-Ups

The only UK made Hop Up using Class 1 industrial alloy step materials and compliant with BS Class 1 for extra strength!

- BS Class 1 Industrial
 Duty Maximum Static
 Load 175kg/27.6stones
 (duty rating 130kg) not
 kitemarked.
- Now the preferred choice of Health & Safety officials - often the only size allowed on sites!

»Accepted by HSE & all major UK contractors for safe use on their sites!

- → 600 x 600mm square platform for a larger and safer work space.
- → Platform height 510mm (1' 8") for comfortable working heights up to 2.5m.
- >> Easy to use and very easily stored legs fold making it almost flat.
- » Can be carried by one person self contained all in one piece.
- » Option for **STANDARD** model without handrail or **SUPER** model with Folding Front Handrail.

" HOPSTAR " BS CLASS 1 ALLOY FOLDING WORK PLATFORMS									
Code		Platform Height	Appx Working Heights	Platform Size L x W	Folded Dimensions L x W x D	Max Safe Working Load	Weight		
VHOPST1	HOPSTAR STANDARD - without Front Handrail	510mm / 1' 8"	2.0 - 2.5m	600 x 600mm	1130 x 710 x 220mm	175kg	9kg		
VHOPST2	HOPSTAR SUPER - including Folding Front Handrail	510mm / 1' 8"	2.0 - 2.5m	600 x 600mm	1130 x 710 x 220mm	175kg	10kg		
normally in stock for immediate despatch									

A current, detailed **price list**

can be printed from our web site www.ladders999.co.uk

UNITS 2 & 10 CHANCEL CLOSE TRADING ESTATE

EASTERN AVENUE **GLOUCESTER** GL4 3SN FAX: 01452 308369

TEL: 01452 520144

www.ladders999.co.uk sales@lansfordaccess.co.uk



ODDJOB

The Odd Job is a lightweight aluminium platform that enables the user to reach those areas that are just out of reach from ground level.

It is ideal for painters and decorators, plumbers and plasterers - in fact the Odd Job is so versatile that there are few trades which could not find a use for this unit.

- Perfect for all odd jobs around the home or work place
- Easy to use, easy to store
- Broad base for extra stability
- Large working platform area

" ODDJOB " ALLOY FOLDING WORK PLATFORM								
Code		Platform Height	Appx Working Heights	Platform Size L x W	Folded Dimensions L x W x D	Max Safe Working Load	Weight	
ODJ1	OddJob	510mm / 1' 8"	2.0 - 2.5m	700 x 300mm	710 x 395 x 175mm	150kg	4.0kg	

normally in stock for immediate despatch

A current, detailed

price list

can be printed from our web site



UNITS 2 & 10 CHANCEL CLOSE TRADING ESTATE

EASTERN AVENUE **GLOUCESTER** GL4 3SN

FAX: 01452 308369

TEL: 01452 520144

www.ladders999.co.uk sales@lansfordaccess.co.uk

All prices, details and specifications are subject to change without notice and are those ruling at date of order. E&OE.

www.ladders999.co.uk



ODDJOB 600 WIDE

600mm square Multi Purpose Trade Work Platform

The Odd Job 600 is a tough trade low level work platform.

Constructed of aluminium for easy handling and providing an impressive platform size of 600mm x 600mm - as preferred by Health & Safety inspectors.

Ideal for most trades who need a solid, stable platform to work just off the ground.

The Odd Job 600 has been designed to help the user meet the latest regulations.

- >> Easy to use and easy to store.
- » Ribbed platform and treads provide a slip resistant surface while working.
- >> Tough over boots and locking legs enable a secure footing.
- » Solid durable construction.
- → Max static load 175kg.
- » Accepted by HSE & all major UK contractors for safe use on their sites.

" ODDJOB 600 " ALLOY FOLDING WORK PLATFORMS								
Code	Code Platform Appx Working Platform Size L x W D Working Load Weight							
ODJ61	OddJob 600 wide	510mm / 1' 8"	2.0 - 2.5m	600 x 600mm	730 x 600 x 185mm	175kg	5.7kg	
normally in stock for immediate despatch								

A current, detailed price list

can be printed from our web site

www.ladders999.co.uk

UNITS 2 & 10 CHANCEL CLOSE TRADING ESTATE

EASTERN AVENUE GLOUCESTER GL4 3SN

FAX: 01452 308369

TEL: 01452 520144

www.ladders999.co.uk sales@lansfordaccess.co.uk



HOPUP GRP 600 WIDE

Glassfibre (GRP) legs give electrical insulation.

The HopUp GRP 600 is a tough trade low level access platform and comes with yellow fibreglass (GRP) legs to reduce the risk of electrocution.

Provides an impressive platform size of 600mm x 600mm - as preferred by Health & Safety inspectors.

Ideal for trades who will be working close to electricity and require a solid, stable platform to work just off the ground from.

The HopUp GRP 600 has been designed to help the user meet the latest regulations.

- → Fibreglass (GRP) legs to reduce the risk of electrical shock.
- » Easy to use and easy to store.
- → Ribbed platform and treads provide a slip resistant surface while working.
- → Tough over boots and locking legs enable a secure footing.
- » Solid durable construction.
- » Max static load 150kg.
- Accepted by HSE & all major UK contractors for safe use on their sites.

" HOPUP GRP 600 " GLASSFIBRE INSULATED FOLDING WORK PLATFORMS									
Code	Platform Appx Working Platform Size Folded Dimensions Max Safe Weight LxW D Working Load								
PHOPG66	HopUp GRP insulated 600 wide	480mm / 1' 7"	2.0 - 2.5m	600 x 600mm	700 x 600 x 200mm	150kg	8.0kg		
normally in stock for immediate despatch									

A current, detailed **price list**

can be printed from our web site www.ladders999.co.uk



UNITS 2 & 10 CHANCEL CLOSE TRADING ESTATE

EASTERN AVENUE **GLOUCESTER** GL4 3SN

FAX: 01452 308369

TEL: 01452 520144

www.ladders999.co.uk sales@lansfordaccess.co.uk



MAXI 1200

The Maxi 1200 range is always a favourite with customers.

Provides a taller than normal platform height at 600mm and gives greater platform length for fewer equipment moves.

- » Platform height 600mm.
- » Ribbed platform size 1200mm x 300mm.
- » Max static load 150kg.

" MAXI 1200 " ALLOY FOLDING WORK PLATFORMS									
Code		Platform Height	Appx Working Heights	Platform Size L x W	Folded Dimensions L x W x D	Max Safe Working Load	Weight		
RHOP3	Maxi - extra length platform	600mm / 2' 0"	2.1 - 2.6m	1200 x 300mm	1275 x 410 x 170mm	150kg	6.6kg		
normally in stock for immediate despatch									

A current, detailed **price list**

can be printed from our web site www.ladders999.co.uk



UNITS 2 & 10 CHANCEL CLOSE TRADING ESTATE

EASTERN AVENUE **GLOUCESTER** GL4 3SN

FAX: 01452 308369

TEL: 01452 520144

www.ladders999.co.uk sales@lansfordaccess.co.uk