

Z600 Specialist Steps

EN131 approved - Trade & Industrial Duty



Z600 Stepladder with Extending Stiles

Specialist stepladders which ensure safe standing even when working on uneven ground and steps where all four legs are at different levels.



Z600 Height Adjustable Stepladder

Specialist stepladders which ensure safe standing at a wide range of heights on either level floors like sports halls or when working on steps & stairs.

See our excellent website at
www.ladders999.co.uk

for prices of these and our huge range
of ladders, steps, podium steps
and scaffold towers



UNITS 2 & 10 CHANCEL CLOSE TRADING ESTATE
EASTERN AVENUE **GLOUCESTER** GL4 3SN
FAX : 01452 505580
TEL: 01452 520144

www.ladders999.co.uk sales@lansfordaccess.co.uk

All prices, details and specifications are subject to change without notice and are those ruling at date of order. E&OE.

Z600 Stepladder with Extending Stiles



- ▶ The only stepladder with **independent height adjustment on each leg.**
- ▶ Upper section legs adjustable by up to 0.40m.
- ▶ Lower section legs adjustable by up to 1.30m or 1.85m depending on model chosen.
- ▶ **Continuous height adjustment to the millimetre.** Each individual stile of the ladder locks securely by the turn of a handwheel.
- ▶ Tested and approved to Euro Standard EN131 with a maximum safe load 150kg (23.5 stones).
- ▶ All alloy construction with square rungs and side stiles of thick, box-section alloy 60mm x 24mm.
- ▶ Strong triple-formed joints connecting rungs and stiles.
- ▶ Moulded plastic bungs fitted at bottom and sturdy cast aluminium hinges at top.

Not stocked.
Made-to-order
and imported for
FREE delivery
most of UK in
3 - 6 weeks.



Z600 Stepladder with Extending Stiles - approved to Euro standard EN131

code	Closed Length	Extra Height Adjustment on ladder section	Extra Height Adjustment on support section	Rungs per section	Appx Weight
Z41936	1.80m	0.40m	1.30m	2 x 6	12.5kg
Z41938	2.35m	0.40m	1.85m	2 x 8	15.5kg

Normally made-to-order and imported for FREE delivery most of UK mainland in 3 - 6 weeks

See our excellent website at
www.ladders999.co.uk

for prices of these and our huge range
of ladders, steps, podium steps
and scaffold towers



UNITS 2 & 10 CHANCEL CLOSE TRADING ESTATE
EASTERN AVENUE **GLOUCESTER** GL4 3SN
FAX : 01452 505580
TEL: 01452 520144

All prices, details and specifications are subject to change without notice and are those ruling at date of order. E&OE.

www.ladders999.co.uk sales@lansfordaccess.co.uk

Z600 Height Adjustable Stepladder



- ▶ Rung by rung **height adjustment on BOTH sides** of stepladder allows safe working on level floors and also on stairs and steps.
- ▶ Ideal in halls and sports halls as well as staircases.
- ▶ Convenient and precise rung-by-rung height adjustment at 280mm intervals on both sides.
- ▶ Rungs lock in place securely with a lift-off retainer.
- ▶ Sturdy horizontal stabiliser bars at base for great stability on a wide base.
- ▶ Tested and approved to Euro Standard EN131 with a maximum safe load 150kg (23.5 stones).
- ▶ All alloy construction with square rungs.




Not stocked. Made-to-order and imported for FREE delivery most of UK in 3 - 6 weeks.

Z600 Height Adjustable Stepladder - approved to Euro standard EN131

code	Closed Length	Max Height Fully Extended	Approx Max Reach Height	Rungs per section	Base Stabiliser Bar Width	Overall Base Span Fully Opened	Appx Weight
Z41322	2.40m	4.05m	5.15m	4 x 8	0.80m	2.30m	22.2kg
Z41323	3.01m	4.95m	6.00m	4 x 10	0.90m	2.70m	27.3kg
Z41324	3.57m	6.05m	7.00m	4 x 12	1.00m	3.30m	31.4kg

Normally made-to-order and imported for FREE delivery most of UK mainland in 3 - 6 weeks



See our excellent website at
www.ladders999.co.uk

for prices of these and our huge range
of ladders, steps, podium steps
and scaffold towers



UNITS 2 & 10 CHANCEL CLOSE TRADING ESTATE
EASTERN AVENUE **GLOUCESTER** GL4 3SN
FAX : 01452 505580
TEL: 01452 520144

www.ladders999.co.uk sales@lansfordaccess.co.uk

All prices, details and specifications are subject to change without notice and are those ruling at date of order. E&OE.